



シム・スペーサー シムリング

SHIM・SPACER

隙間調整用のリング型スペーサーです。
1枚からご購入いただけます。




■材料スペック表(材質・板厚・板厚公差)


材質	板厚(mm)									
	t 0.01	t 0.02	t 0.03	t 0.05	t 0.1	t 0.15	t 0.2	t 0.3	t 0.5	t 1.0
鉄 (SPCC相当)	-	-	-	-	±0.03	±0.03	±0.03	±0.04	±0.05	±0.08
ステンレス (SUS304)	±0.003	±0.003	±0.005	±0.005	±0.008	±0.008	±0.01	±0.015	±0.02	±0.035
真鍮 (C2680または、C2801)	-	-	-	±0.005	±0.02	±0.02	±0.02	±0.03	±0.04	±0.05

注文例

●10枚入の場合



●1枚単位の場合



内径 φd	外径 φD	板厚 t	10枚入				1枚単位			
			品番	価格(円)			品番	価格(円)		
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]
2	3	0.01	R□002003001	—	1,480	—	BR□002003001	—	180	—
		0.02	R□002003002	—	1,660	—	BR□002003002	—	200	—
		0.03	R□002003003	—	1,660	—	BR□002003003	—	200	—
		0.05	R□002003005	—	1,480	—	BR□002003005	—	180	—
		0.1	R□002003010	—	1,780	—	BR□002003010	—	210	—
		0.15	R□002003015	—	1,780	—	BR□002003015	—	210	—
		0.2	R□002003020	—	1,780	—	BR□002003020	—	210	—
		0.3	R□002003030	—	1,780	—	BR□002003030	—	210	—
	4 5 6	0.01	R□002__001	—	1,010	—	BR□002__001	—	120	—
		0.02	R□002__002	—	1,430	—	BR□002__002	—	180	—
		0.03	R□002__003	—	1,430	—	BR□002__003	—	180	—
		0.05	R□002__005	—	1,010	830	BR□002__005	—	120	100
		0.1	R□002__010	490	1,130	1,070	BR□002__010	80	130	130
		0.15	R□002__015	490	1,130	1,070	BR□002__015	80	130	130
		0.2	R□002__020	490	1,130	1,070	BR□002__020	80	130	130
		0.3	R□002__030	490	1,130	1,070	BR□002__030	80	130	130
		0.5	R□002__050	490	1,250	1,200	BR□002__050	80	140	140
		1.0	R□002__100	610	1,480	1,460	BR□002__100	90	180	180
3	4	0.01	R□003004001	—	1,480	—	BR□003004001	—	180	—
		0.02	R□003004002	—	1,660	—	BR□003004002	—	200	—
		0.03	R□003004003	—	1,660	—	BR□003004003	—	200	—
		0.05	R□003004005	—	1,480	—	BR□003004005	—	180	—
		0.1	R□003004010	—	1,780	—	BR□003004010	—	210	—
		0.15	R□003004015	—	1,780	—	BR□003004015	—	210	—
		0.2	R□003004020	—	1,780	—	BR□003004020	—	210	—
		0.3	R□003004030	—	1,780	—	BR□003004030	—	210	—
	5 6 7 8 9 10	0.01	R□003__001	—	780	—	BR□003__001	—	100	—
		0.02	R□003__002	—	1,190	—	BR□003__002	—	140	—
		0.03	R□003__003	—	1,190	—	BR□003__003	—	140	—
		0.05	R□003__005	—	780	650	BR□003__005	—	100	90
		0.1	R□003__010	370	1,010	960	BR□003__010	70	120	120
		0.15	R□003__015	370	1,010	960	BR□003__015	70	120	120
		0.2	R□003__020	370	1,010	960	BR□003__020	70	120	120
		0.3	R□003__030	370	1,010	960	BR□003__030	70	120	120
		0.5	R□003__050	370	1,250	1,070	BR□003__050	70	140	130
		1.0	R□003__100	490	1,480	1,330	BR□003__100	80	180	150

内径 φd	外径 φD	板厚 t	10枚入				1枚単位			
			品番	価格(円)			品番	価格(円)		
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]
4	5	0.01	R□004005001	—	1,480	—	BR□004005001	—	180	—
		0.02	R□004005002	—	1,660	—	BR□004005002	—	200	—
		0.03	R□004005003	—	1,660	—	BR□004005003	—	200	—
		0.05	R□004005005	—	1,480	—	BR□004005005	—	180	—
		0.1	R□004005010	—	1,780	—	BR□004005010	—	210	—
		0.15	R□004005015	—	1,780	—	BR□004005015	—	210	—
		0.2	R□004005020	—	1,780	—	BR□004005020	—	210	—
		0.3	R□004005030	—	1,780	—	BR□004005030	—	210	—
	6 7 8 9 10 12 13	0.01	R□004__001	—	780	—	BR□004__001	—	100	—
		0.02	R□004__002	—	1,190	—	BR□004__002	—	140	—
		0.03	R□004__003	—	1,190	—	BR□004__003	—	140	—
		0.05	R□004__005	—	780	650	BR□004__005	—	100	90
		0.1	R□004__010	370	1,010	960	BR□004__010	70	120	120
		0.15	R□004__015	370	1,010	960	BR□004__015	70	120	120
		0.2	R□004__020	370	1,010	960	BR□004__020	70	120	120
		0.3	R□004__030	370	1,010	960	BR□004__030	70	120	120
		0.5	R□004__050	370	1,250	1,070	BR□004__050	70	140	130
		1.0	R□004__100	490	1,480	1,330	BR□004__100	80	180	150
		5	7 8 9 10 12 13 14 15 16	0.01	R□005__001	—	890	—	BR□005__001	—
0.02	R□005__002		—	1,310	—	BR□005__002	—	150	—	
0.03	R□005__003		—	1,310	—	BR□005__003	—	150	—	
0.05	R□005__005		—	890	650	BR□005__005	—	110	90	
0.1	R□005__010		370	1,010	960	BR□005__010	70	120	120	
0.15	R□005__015		370	1,010	960	BR□005__015	70	120	120	
0.2	R□005__020		370	1,010	960	BR□005__020	70	120	120	
0.3	R□005__030		370	1,010	960	BR□005__030	70	120	120	
0.5	R□005__050		370	1,250	1,070	BR□005__050	70	140	130	
1.0	R□005__100		490	1,480	1,330	BR□005__100	80	180	150	
6	8 9 10 12 13 14 15 16 18	0.01	R□006__001	—	890	—	BR□006__001	—	110	—
	0.02	R□006__002	—	1,310	—	BR□006__002	—	150	—	
	0.03	R□006__003	—	1,310	—	BR□006__003	—	150	—	
	0.05	R□006__005	—	890	830	BR□006__005	—	110	100	
	0.1	R□006__010	370	1,010	960	BR□006__010	70	120	120	
	0.15	R□006__015	370	1,010	960	BR□006__015	70	120	120	
	0.2	R□006__020	370	1,010	960	BR□006__020	70	120	120	
	0.3	R□006__030	370	1,010	960	BR□006__030	70	120	120	
	0.5	R□006__050	370	1,250	1,070	BR□006__050	70	140	130	
	1.0	R□006__100	490	1,480	1,330	BR□006__100	80	180	150	

内径 φd	外径 φD	板厚 t	10枚入				1枚単位				
			品番	価格(円)			品番	価格(円)			
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]	
7	10	0.01	R□007010001	—	890	—	BR□007010001	—	110	—	追加
		0.02	R□007010002	—	1,310	—	BR□007010002	—	150	—	追加
		0.03	R□007010003	—	1,310	—	BR□007010003	—	150	—	追加
		0.05	R□007010005	—	890	830	BR□007010005	—	110	100	追加
		0.1	R□007010010	370	1,010	960	BR□007010010	70	120	120	追加
		0.15	R□007010015	370	1,010	960	BR□007010015	70	120	120	追加
		0.2	R□007010020	370	1,010	960	BR□007010020	70	120	120	追加
		0.3	R□007010030	370	1,010	960	BR□007010030	70	120	120	追加
		0.5	R□007010050	370	1,250	1,070	BR□007010050	70	140	130	追加
1.0	R□007010100	490	1,480	1,330	BR□007010100	80	180	150	追加		
8	10 12 13 14 15 16 18 20	0.01	R□008__001	—	890	—	BR□008__001	—	110	—	
		0.02	R□008__002	—	1,310	—	BR□008__002	—	150	—	
		0.03	R□008__003	—	1,310	—	BR□008__003	—	150	—	
		0.05	R□008__005	—	890	830	BR□008__005	—	110	100	
		0.1	R□008__010	370	1,010	960	BR□008__010	70	120	120	
		0.15	R□008__015	370	1,010	960	BR□008__015	70	120	120	
		0.2	R□008__020	370	1,010	960	BR□008__020	70	120	120	
		0.3	R□008__030	370	1,010	960	BR□008__030	70	120	120	
		0.5	R□008__050	370	1,250	1,070	BR□008__050	70	140	130	
1.0	R□008__100	490	1,480	1,330	BR□008__100	80	180	150			
9	13	0.01	R□009013001	—	890	—	BR□009013001	—	110	—	追加
		0.02	R□009013002	—	1,310	—	BR□009013002	—	150	—	追加
		0.03	R□009013003	—	1,310	—	BR□009013003	—	150	—	追加
		0.05	R□009013005	—	890	830	BR□009013005	—	110	100	追加
		0.1	R□009013010	370	1,010	960	BR□009013010	70	120	120	追加
		0.15	R□009013015	370	1,010	960	BR□009013015	70	120	120	追加
		0.2	R□009013020	370	1,010	960	BR□009013020	70	120	120	追加
		0.3	R□009013030	370	1,010	960	BR□009013030	70	120	120	追加
		0.5	R□009013050	370	1,250	1,070	BR□009013050	70	140	130	追加
1.0	R□009013100	610	1,480	1,330	BR□009013100	90	180	150	追加		
10	12 13 14 15 16 18 20	0.01	R□010__001	—	890	—	BR□010__001	—	110	—	
		0.02	R□010__002	—	1,310	—	BR□010__002	—	150	—	
		0.03	R□010__003	—	1,310	—	BR□010__003	—	150	—	
		0.05	R□010__005	—	890	830	BR□010__005	—	110	100	
		0.1	R□010__010	370	1,010	960	BR□010__010	70	120	120	
		0.15	R□010__015	370	1,010	960	BR□010__015	70	120	120	
		0.2	R□010__020	370	1,010	960	BR□010__020	70	120	120	
		0.3	R□010__030	370	1,010	960	BR□010__030	70	120	120	
		0.5	R□010__050	370	1,250	1,070	BR□010__050	70	140	130	
1.0	R□010__100	610	1,480	1,330	BR□010__100	90	180	150			

内径 φd	外径 φD	板厚 t	10枚入				1枚単位				
			品番		価格(円)		品番		価格(円)		
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径		鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径		鉄 BR[F]	
12	14 15 16 17 18 20 21 22	0.01	R□012__001	—	890	—	BR□012__001	—	110	—	追加
		0.02	R□012__002	—	1,310	—	BR□012__002	—	150	—	追加
		0.03	R□012__003	—	1,310	—	BR□012__003	—	150	—	追加
		0.05	R□012__005	—	890	830	BR□012__005	—	110	100	追加
		0.1	R□012__010	370	1,010	960	BR□012__010	70	120	120	追加
		0.15	R□012__015	370	1,010	960	BR□012__015	70	120	120	追加
		0.2	R□012__020	370	1,010	960	BR□012__020	70	120	120	追加
		0.3	R□012__030	370	1,010	960	BR□012__030	70	120	120	追加
		0.5	R□012__050	370	1,250	1,070	BR□012__050	70	140	130	追加
		1.0	R□012__100	610	1,480	1,330	BR□012__100	90	180	150	追加
13	19	0.01	R□013019001	—	1,010	—	BR□013019001	—	120	—	
		0.02	R□013019002	—	1,430	—	BR□013019002	—	180	—	
		0.03	R□013019003	—	1,430	—	BR□013019003	—	180	—	
		0.05	R□013019005	—	1,010	960	BR□013019005	—	120	120	
		0.1	R□013019010	370	1,010	1,070	BR□013019010	70	120	130	
		0.15	R□013019015	370	1,010	1,070	BR□013019015	70	120	130	
		0.2	R□013019020	370	1,010	1,070	BR□013019020	70	120	130	
		0.3	R□013019030	370	1,010	1,070	BR□013019030	70	120	130	
		0.5	R□013019050	490	1,250	1,330	BR□013019050	80	140	150	
		1.0	R□013019100	610	1,480	1,580	BR□013019100	90	180	190	
15	17 18 20 21 22 24	0.01	R□015__001	—	1,010	—	BR□015__001	—	120	—	追加
		0.02	R□015__002	—	1,430	—	BR□015__002	—	180	—	追加
		0.03	R□015__003	—	1,430	—	BR□015__003	—	180	—	追加
		0.05	R□015__005	—	1,010	960	BR□015__005	—	120	120	追加
		0.1	R□015__010	370	1,010	1,070	BR□015__010	70	120	130	追加
		0.15	R□015__015	370	1,010	1,070	BR□015__015	70	120	130	追加
		0.2	R□015__020	370	1,010	1,070	BR□015__020	70	120	130	追加
		0.3	R□015__030	370	1,010	1,070	BR□015__030	70	120	130	追加
		0.5	R□015__050	490	1,250	1,330	BR□015__050	80	140	150	追加
		1.0	R□015__100	610	1,480	1,580	BR□015__100	90	180	190	追加
16	19 20 21 22 24 28	0.01	R□016__001	—	1,480	—	BR□016__001	—	180	—	追加
		0.02	R□016__002	—	2,130	—	BR□016__002	—	250	—	追加
		0.03	R□016__003	—	2,130	—	BR□016__003	—	250	—	追加
		0.05	R□016__005	—	1,480	1,460	BR□016__005	—	180	180	追加
		0.1	R□016__010	370	1,010	1,070	BR□016__010	70	120	130	追加
		0.15	R□016__015	370	1,010	1,070	BR□016__015	70	120	130	追加
		0.2	R□016__020	370	1,010	1,070	BR□016__020	70	120	130	追加
		0.3	R□016__030	370	1,010	1,070	BR□016__030	70	120	130	追加
		0.5	R□016__050	490	1,250	1,330	BR□016__050	80	140	150	追加
		1.0	R□016__100	720	1,480	1,580	BR□016__100	100	180	190	追加

内径 φd	外径 φD	板厚 t	10枚入				1枚単位				
			品番	価格(円)			品番	価格(円)			
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]	
17	19 20 21 22 24 28 30 32	0.01	R□017___001	—	1,480	—	BR□017___001	—	180	—	追加
		0.02	R□017___002	—	2,130	—	BR□017___002	—	250	—	追加
		0.03	R□017___003	—	2,130	—	BR□017___003	—	250	—	追加
		0.05	R□017___005	—	1,480	1,460	BR□017___005	—	180	180	追加
		0.1	R□017___010	370	1,010	1,070	BR□017___010	70	120	130	追加
		0.15	R□017___015	370	1,010	1,070	BR□017___015	70	120	130	追加
		0.2	R□017___020	370	1,010	1,070	BR□017___020	70	120	130	追加
		0.3	R□017___030	370	1,010	1,070	BR□017___030	70	120	130	追加
		0.5	R□017___050	490	1,250	1,330	BR□017___050	80	140	150	追加
		1.0	R□017___100	720	1,480	1,580	BR□017___100	100	180	190	追加
18	24	0.01	R□018024001	—	1,900	—	BR□018024001	—	220	—	
		0.02	R□018024002	—	2,500	—	BR□018024002	—	290	—	
		0.03	R□018024003	—	2,500	—	BR□018024003	—	290	—	
		0.05	R□018024005	—	1,900	1,900	BR□018024005	—	220	220	
		0.1	R□018024010	370	1,370	1,330	BR□018024010	70	170	150	
		0.15	R□018024015	370	1,370	1,330	BR□018024015	70	170	150	
		0.2	R□018024020	370	1,370	1,330	BR□018024020	70	170	150	
		0.3	R□018024030	370	1,370	1,330	BR□018024030	70	170	150	
		0.5	R□018024050	610	1,900	1,770	BR□018024050	90	220	210	
		1.0	R□018024100	790	2,130	2,030	BR□018024100	100	250	230	
20	22 24 26 28 30 32 35 40	0.01	R□020___001	—	1,900	—	BR□020___001	—	220	—	追加
		0.02	R□020___002	—	2,500	—	BR□020___002	—	290	—	追加
		0.03	R□020___003	—	2,500	—	BR□020___003	—	290	—	追加
		0.05	R□020___005	—	1,900	1,900	BR□020___005	—	220	220	追加
		0.1	R□020___010	370	1,370	1,330	BR□020___010	70	170	150	追加
		0.15	R□020___015	370	1,370	1,330	BR□020___015	70	170	150	追加
		0.2	R□020___020	370	1,370	1,330	BR□020___020	70	170	150	追加
		0.3	R□020___030	370	1,370	1,330	BR□020___030	70	170	150	追加
		0.5	R□020___050	610	1,900	1,770	BR□020___050	90	220	210	追加
		1.0	R□020___100	790	2,130	2,030	BR□020___100	100	250	230	追加
21	28	0.01	R□021028001	—	2,500	—	BR□021028001	—	290	—	
		0.02	R□021028002	—	3,550	—	BR□021028002	—	410	—	
		0.03	R□021028003	—	3,550	—	BR□021028003	—	410	—	
		0.05	R□021028005	—	2,500	2,530	BR□021028005	—	290	290	
		0.1	R□021028010	370	1,370	1,330	BR□021028010	70	170	150	
		0.15	R□021028015	370	1,370	1,330	BR□021028015	70	170	150	
		0.2	R□021028020	370	1,370	1,330	BR□021028020	70	170	150	
		0.3	R□021028030	370	1,370	1,330	BR□021028030	70	170	150	
		0.5	R□021028050	610	1,900	1,770	BR□021028050	90	220	210	
		1.0	R□021028100	790	2,130	2,030	BR□021028100	100	250	230	

内径 φd	外径 φD	板厚 t	10枚入				1枚単位				
			品番	価格(円)			品番	価格(円)			
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]	
22	26 28 30 32 35 40	0.01	R□022___001	—	2,500	—	BR□022___001	—	290	—	追加
		0.02	R□022___002	—	3,550	—	BR□022___002	—	410	—	追加
		0.03	R□022___003	—	3,550	—	BR□022___003	—	410	—	追加
		0.05	R□022___005	—	2,500	2,530	BR□022___005	—	290	290	追加
		0.1	R□022___010	370	1,370	1,330	BR□022___010	70	170	150	追加
		0.15	R□022___015	370	1,370	1,330	BR□022___015	70	170	150	追加
		0.2	R□022___020	370	1,370	1,330	BR□022___020	70	170	150	追加
		0.3	R□022___030	370	1,370	1,330	BR□022___030	70	170	150	追加
		0.5	R□022___050	610	1,900	1,770	BR□022___050	90	220	210	追加
		1.0	R□022___100	790	2,130	2,030	BR□022___100	100	250	230	追加
23	30	0.01	R□023030001	—	2,840	—	BR□023030001	—	340	—	
		0.02	R□023030002	—	4,150	—	BR□023030002	—	490	—	
		0.03	R□023030003	—	4,150	—	BR□023030003	—	490	—	
		0.05	R□023030005	—	2,840	3,030	BR□023030005	—	340	360	
		0.1	R□023030010	370	1,370	1,330	BR□023030010	70	170	150	
		0.15	R□023030015	370	1,370	1,330	BR□023030015	70	170	150	
		0.2	R□023030020	370	1,370	1,330	BR□023030020	70	170	150	
		0.3	R□023030030	370	1,370	1,330	BR□023030030	70	170	150	
		0.5	R□023030050	790	1,900	1,770	BR□023030050	100	220	210	
		1.0	R□023030100	1,020	2,130	2,030	BR□023030100	120	250	230	
25	28 30 32 35 40 42	0.01	R□025___001	—	2,840	—	BR□025___001	—	340	—	追加
		0.02	R□025___002	—	4,150	—	BR□025___002	—	490	—	追加
		0.03	R□025___003	—	4,150	—	BR□025___003	—	490	—	追加
		0.05	R□025___005	—	2,840	3,030	BR□025___005	—	340	360	追加
		0.1	R□025___010	370	1,370	1,330	BR□025___010	70	170	150	追加
		0.15	R□025___015	370	1,370	1,330	BR□025___015	70	170	150	追加
		0.2	R□025___020	370	1,370	1,330	BR□025___020	70	170	150	追加
		0.3	R□025___030	370	1,370	1,330	BR□025___030	70	170	150	追加
		0.5	R□025___050	790	1,900	1,770	BR□025___050	100	220	210	追加
		1.0	R□025___100	1,020	2,130	2,030	BR□025___100	120	250	230	追加
28	32 35 40 42 45	0.01	R□028___001	—	3,910	—	BR□028___001	—	450	—	
		0.02	R□028___002	—	5,560	—	BR□028___002	—	650	—	
		0.03	R□028___003	—	5,560	—	BR□028___003	—	650	—	
		0.05	R□028___005	—	3,910	3,780	BR□028___005	—	450	430	
		0.1	R□028___010	490	1,780	1,770	BR□028___010	80	210	210	
		0.15	R□028___015	490	1,780	1,770	BR□028___015	80	210	210	
		0.2	R□028___020	490	1,780	1,770	BR□028___020	80	210	210	
		0.3	R□028___030	490	1,780	1,770	BR□028___030	80	210	210	
		0.5	R□028___050	790	1,900	2,030	BR□028___050	100	220	230	
		1.0	R□028___100	1,020	2,250	2,270	BR□028___100	120	270	260	

内径 φd	外径 φD	板厚 t	10枚入				1枚単位				
			品番	価格(円)			品番	価格(円)			
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]	
29	37	0.01	R□029037001	—	3,910	—	BR□029037001	—	450	—	
		0.02	R□029037002	—	5,560	—	BR□029037002	—	650	—	
		0.03	R□029037003	—	5,560	—	BR□029037003	—	650	—	
		0.05	R□029037005	—	3,910	3,780	BR□029037005	—	450	430	
		0.1	R□029037010	610	2,020	2,030	BR□029037010	90	230	230	
		0.15	R□029037015	610	2,020	2,030	BR□029037015	90	230	230	
		0.2	R□029037020	610	2,020	2,030	BR□029037020	90	230	230	
		0.3	R□029037030	610	2,020	2,030	BR□029037030	90	230	230	
		0.5	R□029037050	790	2,250	2,270	BR□029037050	100	270	260	
		1.0	R□029037100	1,020	2,730	2,270	BR□029037100	120	330	260	
30	32 35 40 42 45 50	0.01	R□030___001	—	3,910	—	BR□030___001	—	450	—	追加
		0.02	R□030___002	—	5,560	—	BR□030___002	—	650	—	追加
		0.03	R□030___003	—	5,560	—	BR□030___003	—	650	—	追加
		0.05	R□030___005	—	3,910	3,780	BR□030___005	—	450	430	追加
		0.1	R□030___010	610	2,020	2,030	BR□030___010	90	230	230	追加
		0.15	R□030___015	610	2,020	2,030	BR□030___015	90	230	230	追加
		0.2	R□030___020	610	2,020	2,030	BR□030___020	90	230	230	追加
		0.3	R□030___030	610	2,020	2,030	BR□030___030	90	230	230	追加
		0.5	R□030___050	790	2,250	2,270	BR□030___050	100	270	260	追加
		1.0	R□030___100	1,020	2,730	2,270	BR□030___100	120	330	260	追加
32	37 40	0.01	R□032___001	—	4,620	—	BR□032___001	—	540	—	追加
		0.02	R□032___002	—	6,620	—	BR□032___002	—	780	—	追加
		0.03	R□032___003	—	6,620	—	BR□032___003	—	780	—	追加
		0.05	R□032___005	—	4,620	4,670	BR□032___005	—	540	550	追加
		0.1	R□032___010	610	2,020	2,030	BR□032___010	90	230	230	追加
		0.15	R□032___015	610	2,020	2,030	BR□032___015	90	230	230	追加
		0.2	R□032___020	610	2,020	2,030	BR□032___020	90	230	230	追加
		0.3	R□032___030	610	2,020	2,030	BR□032___030	90	230	230	追加
		0.5	R□032___050	790	2,250	2,270	BR□032___050	100	270	260	追加
		1.0	R□032___100	1,260	2,730	2,400	BR□032___100	150	330	280	追加
35	42 45 50 55	0.01	R□035___001	—	4,620	—	BR□035___001	—	540	—	
		0.02	R□035___002	—	6,620	—	BR□035___002	—	780	—	
		0.03	R□035___003	—	6,620	—	BR□035___003	—	780	—	
		0.05	R□035___005	—	4,620	4,670	BR□035___005	—	540	550	
		0.1	R□035___010	610	2,020	2,030	BR□035___010	90	230	230	
		0.15	R□035___015	610	2,020	2,030	BR□035___015	90	230	230	
		0.2	R□035___020	610	2,020	2,030	BR□035___020	90	230	230	
		0.3	R□035___030	610	2,020	2,030	BR□035___030	90	230	230	
		0.5	R□035___050	790	2,250	2,270	BR□035___050	100	270	260	
		1.0	R□035___100	1,260	2,730	2,400	BR□035___100	150	330	280	

内径 φd	外径 φD	板厚 t	10枚入				1枚単位			
			品番	価格(円)			品番	価格(円)		
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]
40	45 47 50 55 60	0.01	R□040___001	—	6,150	—	BR□040___001	—	700	—
		0.02	R□040___002	—	8,740	—	BR□040___002	—	1,000	—
		0.03	R□040___003	—	8,740	—	BR□040___003	—	1,000	—
		0.05	R□040___005	—	6,150	5,790	BR□040___005	—	700	670
		0.1	R□040___010	610	2,020	2,030	BR□040___010	90	230	230
		0.15	R□040___015	610	2,020	2,030	BR□040___015	90	230	230
		0.2	R□040___020	610	2,020	2,030	BR□040___020	90	230	230
		0.3	R□040___030	610	2,020	2,030	BR□040___030	90	230	230
		0.5	R□040___050	900	2,250	2,270	BR□040___050	110	270	260
		1.0	R□040___100	1,570	2,730	2,400	BR□040___100	190	330	280
42	52	0.01	R□042052001	—	7,690	—	BR□042052001	—	890	—
		0.02	R□042052002	—	11,100	—	BR□042052002	—	1,270	—
		0.03	R□042052003	—	11,100	—	BR□042052003	—	1,270	—
		0.05	R□042052005	—	7,690	7,940	BR□042052005	—	890	880
		0.1	R□042052010	720	2,130	2,160	BR□042052010	100	250	250
		0.15	R□042052015	720	2,130	2,160	BR□042052015	100	250	250
		0.2	R□042052020	720	2,130	2,160	BR□042052020	100	250	250
		0.3	R□042052030	720	2,130	2,160	BR□042052030	100	250	250
		0.5	R□042052050	900	2,610	2,530	BR□042052050	110	300	290
		1.0	R□042052100	1,670	3,080	2,920	BR□042052100	200	360	340
45	50 55 60	0.01	R□045___001	—	7,690	—	BR□045___001	—	890	—
		0.02	R□045___002	—	11,100	—	BR□045___002	—	1,270	—
		0.03	R□045___003	—	11,100	—	BR□045___003	—	1,270	—
		0.05	R□045___005	—	7,690	7,940	BR□045___005	—	890	880
		0.1	R□045___010	720	2,130	2,160	BR□045___010	100	250	250
		0.15	R□045___015	720	2,130	2,160	BR□045___015	100	250	250
		0.2	R□045___020	720	2,130	2,160	BR□045___020	100	250	250
		0.3	R□045___030	720	2,130	2,160	BR□045___030	100	250	250
		0.5	R□045___050	900	2,610	2,530	BR□045___050	110	300	290
		1.0	R□045___100	1,670	3,080	2,920	BR□045___100	200	360	340
47	55	0.01	R□047055001	—	7,690	—	BR□047055001	—	890	—
		0.02	R□047055002	—	11,100	—	BR□047055002	—	1,270	—
		0.03	R□047055003	—	11,100	—	BR□047055003	—	1,270	—
		0.05	R□047055005	—	7,690	7,940	BR□047055005	—	890	880
		0.1	R□047055010	720	2,130	2,160	BR□047055010	100	250	250
		0.15	R□047055015	720	2,130	2,160	BR□047055015	100	250	250
		0.2	R□047055020	720	2,130	2,160	BR□047055020	100	250	250
		0.3	R□047055030	720	2,130	2,160	BR□047055030	100	250	250
		0.5	R□047055050	900	2,610	2,530	BR□047055050	110	300	290
		1.0	R□047055100	1,670	3,080	2,920	BR□047055100	200	360	340

内径 φd	外径 φD	板厚 t	10枚入				1枚単位				
			品番		価格(円)		品番		価格(円)		
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]	
50	55 60 62 65 70	0.01	R□050___001	—	13,220	—	BR□050___001	—	1,510	—	追加
		0.02	R□050___002	—	13,220	—	BR□050___002	—	1,510	—	追加
		0.03	R□050___003	—	13,220	—	BR□050___003	—	1,510	—	追加
		0.05	R□050___005	—	13,220	13,230	BR□050___005	—	1,510	1,470	追加
		0.1	R□050___010	850	3,200	3,280	BR□050___010	110	380	380	追加
		0.15	R□050___015	850	3,200	3,280	BR□050___015	110	380	380	追加
		0.2	R□050___020	850	3,200	3,280	BR□050___020	110	380	380	追加
		0.3	R□050___030	850	3,200	3,280	BR□050___030	110	380	380	追加
		0.5	R□050___050	1,200	3,910	3,780	BR□050___050	140	450	430	追加
		1.0	R□050___100	1,920	4,620	4,540	BR□050___100	230	540	520	追加
52	62	0.01	R□052062001	—	16,500	—	BR□052062001	—	1,950	—	追加
		0.02	R□052062002	—	16,500	—	BR□052062002	—	1,950	—	追加
		0.03	R□052062003	—	16,500	—	BR□052062003	—	1,950	—	追加
		0.05	R□052062005	—	13,220	13,230	BR□052062005	—	1,510	1,470	追加
		0.1	R□052062010	880	3,310	3,380	BR□052062010	120	400	410	追加
		0.15	R□052062015	880	3,310	3,380	BR□052062015	120	400	410	追加
		0.2	R□052062020	880	3,310	3,380	BR□052062020	120	400	410	追加
		0.3	R□052062030	880	3,310	3,380	BR□052062030	120	400	410	追加
		0.5	R□052062050	1,290	4,020	4,070	BR□052062050	170	490	500	追加
		1.0	R□052062100	1,980	4,720	4,820	BR□052062100	260	560	580	追加
55	65 68	0.01	R□055___001	—	17,500	—	BR□055___001	—	2,050	—	追加
		0.02	R□055___002	—	17,500	—	BR□055___002	—	2,050	—	追加
		0.03	R□055___003	—	17,500	—	BR□055___003	—	2,050	—	追加
		0.05	R□055___005	—	13,220	13,230	BR□055___005	—	1,510	1,470	追加
		0.1	R□055___010	1,020	3,550	3,590	BR□055___010	130	420	430	追加
		0.15	R□055___015	1,020	3,550	3,590	BR□055___015	130	420	430	追加
		0.2	R□055___020	1,020	3,550	3,590	BR□055___020	130	420	430	追加
		0.3	R□055___030	1,020	3,550	3,590	BR□055___030	130	420	430	追加
		0.5	R□055___050	1,400	4,250	4,390	BR□055___050	180	520	530	追加
		1.0	R□055___100	2,120	4,970	5,140	BR□055___100	280	580	630	追加
60	70 72 75	0.01	R□060___001	—	22,000	—	BR□060___001	—	2,600	—	追加
		0.02	R□060___002	—	22,000	—	BR□060___002	—	2,600	—	追加
		0.03	R□060___003	—	22,000	—	BR□060___003	—	2,600	—	追加
		0.05	R□060___005	—	13,220	13,230	BR□060___005	—	1,510	1,470	追加
		0.1	R□060___010	1,020	3,550	3,590	BR□060___010	130	420	430	追加
		0.15	R□060___015	1,020	3,550	3,590	BR□060___015	130	420	430	追加
		0.2	R□060___020	1,020	3,550	3,590	BR□060___020	130	420	430	追加
		0.3	R□060___030	1,020	3,550	3,590	BR□060___030	130	420	430	追加
		0.5	R□060___050	1,400	4,250	4,390	BR□060___050	180	520	530	追加
		1.0	R□060___100	2,120	4,970	5,140	BR□060___100	280	580	630	追加



内径 φd	外径 φD	板厚 t	10枚入				1枚単位				
			品番		価格(円)		品番		価格(円)		
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]	
62	68 72	0.01	R□062___001	—	22,000	—	BR□062___001	—	2,600	—	追加
		0.02	R□062___002	—	22,000	—	BR□062___002	—	2,600	—	追加
		0.03	R□062___003	—	22,000	—	BR□062___003	—	2,600	—	追加
		0.05	R□062___005	—	13,220	13,230	BR□062___005	—	1,510	1,470	追加
		0.1	R□062___010	1,020	3,550	3,590	BR□062___010	130	420	430	追加
		0.15	R□062___015	1,020	3,550	3,590	BR□062___015	130	420	430	追加
		0.2	R□062___020	1,020	3,550	3,590	BR□062___020	130	420	430	追加
		0.3	R□062___030	1,020	3,550	3,590	BR□062___030	130	420	430	追加
		0.5	R□062___050	1,400	4,250	4,390	BR□062___050	180	520	530	追加
		1.0	R□062___100	2,120	4,970	5,140	BR□062___100	280	580	630	追加
65	80 85	0.01	R□065___001	—	29,500	—	BR□065___001	—	3,450	—	追加
		0.02	R□065___002	—	29,500	—	BR□065___002	—	3,450	—	追加
		0.03	R□065___003	—	29,500	—	BR□065___003	—	3,450	—	追加
		0.05	R□065___005	—	13,720	13,950	BR□065___005	—	1,600	1,630	追加
		0.1	R□065___010	1,700	3,720	3,800	BR□065___010	220	430	450	追加
		0.15	R□065___015	1,700	3,720	3,800	BR□065___015	220	430	450	追加
		0.2	R□065___020	1,700	3,720	3,800	BR□065___020	220	430	450	追加
		0.3	R□065___030	1,700	3,720	3,800	BR□065___030	220	430	450	追加
		0.5	R□065___050	2,100	4,540	4,700	BR□065___050	270	540	560	追加
		1.0	R□065___100	2,900	5,350	5,600	BR□065___100	350	630	650	追加
70	80	0.01	R□070080001	—	29,500	—	BR□070080001	—	3,450	—	追加
		0.02	R□070080002	—	29,500	—	BR□070080002	—	3,450	—	追加
		0.03	R□070080003	—	29,500	—	BR□070080003	—	3,450	—	追加
		0.05	R□070080005	—	13,720	13,950	BR□070080005	—	1,600	1,630	追加
		0.1	R□070080010	1,700	3,720	3,800	BR□070080010	220	430	450	追加
		0.15	R□070080015	1,700	3,720	3,800	BR□070080015	220	430	450	追加
		0.2	R□070080020	1,700	3,720	3,800	BR□070080020	220	430	450	追加
		0.3	R□070080030	1,700	3,720	3,800	BR□070080030	220	430	450	追加
		0.5	R□070080050	2,100	4,540	4,700	BR□070080050	270	540	560	追加
		1.0	R□070080100	2,900	5,350	5,600	BR□070080100	350	630	650	追加
80	90	0.01	R□080090001	—	29,500	—	BR□080090001	—	3,450	—	追加
		0.02	R□080090002	—	29,500	—	BR□080090002	—	3,450	—	追加
		0.03	R□080090003	—	29,500	—	BR□080090003	—	3,450	—	追加
		0.05	R□080090005	—	14,800	15,100	BR□080090005	—	1,750	1,780	追加
		0.1	R□080090010	1,900	3,910	4,000	BR□080090010	240	460	470	追加
		0.15	R□080090015	1,900	3,910	4,000	BR□080090015	240	460	470	追加
		0.2	R□080090020	1,900	3,910	4,000	BR□080090020	240	460	470	追加
		0.3	R□080090030	1,900	3,910	4,000	BR□080090030	240	460	470	追加
		0.5	R□080090050	2,300	4,880	5,000	BR□080090050	290	570	590	追加
		1.0	R□080090100	3,000	5,800	6,150	BR□080090100	370	670	720	追加

内径 φd	外径 φD	板厚 t	10枚入				1枚単位				
			品番	価格(円)			品番	価格(円)			
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 R[F]	ステンレス R[S]	真鍮 R[B]	□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径	鉄 BR[F]	ステンレス BR[S]	真鍮 BR[B]	
90	100	0.01	R□090100001	—	47,000	—	BR□090100001	—	5,450	—	追加
		0.02	R□090100002	—	47,000	—	BR□090100002	—	5,450	—	追加
		0.03	R□090100003	—	47,000	—	BR□090100003	—	5,450	—	追加
		0.05	R□090100005	—	15,200	15,500	BR□090100005	—	1,800	1,850	追加
		0.1	R□090100010	2,000	4,100	4,200	BR□090100010	250	480	490	追加
		0.15	R□090100015	2,000	4,100	4,200	BR□090100015	250	480	490	追加
		0.2	R□090100020	2,000	4,100	4,200	BR□090100020	250	480	490	追加
		0.3	R□090100030	2,000	4,100	4,200	BR□090100030	250	480	490	追加
		0.5	R□090100050	2,400	5,150	5,300	BR□090100050	300	590	620	追加
		1.0	R□090100100	3,100	6,400	6,800	BR□090100100	390	750	790	追加

シム・スペーサー シムリング 板厚セット

SHIM・SPACER

隙間調整用のリング型スペーサーです。
様々な板厚を組み合わせた便利なセット販売です。



単位：mm

■材料スペック表(材質・板厚・板厚公差)

材質	板厚(mm)									
	t 0.01	t 0.02	t 0.03	t 0.05	t 0.1	t 0.15	t 0.2	t 0.3	t 0.5	t 1.0
鉄 (SPCC相当)	—	—	—	—	±0.03	±0.03	±0.03	±0.04	±0.05	±0.08
ステンレス (SUS304)	±0.003	±0.003	±0.005	±0.005	±0.008	±0.008	±0.01	±0.015	±0.02	±0.035
真鍮 (C2680または、C2801)	—	—	—	±0.005	±0.02	±0.02	±0.02	±0.03	±0.04	±0.05

注文例

●板厚セットの場合

品番 **SR** 材質 **F** 内径 ϕd **002** 外径 ϕD **04** セット内容 **A or B** **B**

SRF002004B

材質：鉄、内径： $\phi 2$ 、外径： $\phi 4$ 、
板厚セット内容：0.1、0.2、0.3、0.5の場合

セット内容	板厚	枚数
A	0.01/0.02/0.03/0.05	各10枚
B	0.1/0.2/0.3/0.5	各10枚

内径 ϕd	外径 ϕD	板厚セット内容 t	板厚セット (各板厚×10枚)			
			品番		価格(円)	
			鉄 F 、ステンレス S 、真鍮 B	鉄 SR F	ステンレス SR S	真鍮 SR B
2	3	0.01	SRS002003A	—	5,650	—
		0.02				
		0.03				
		0.05				
		0.05				
4	5	0.01	SRS002__A	—	4,390	—
		0.02				
		0.03				
		0.05				
		0.05				
5	6	0.1	SR□002__B	1,760	4,180	3,970
		0.2				
		0.3				
		0.5				
		0.5				
4	4	0.01	SRS003004A	—	5,650	—
		0.02				
		0.03				
		0.05				
		0.05				
3	5	0.01	SRS003__A	—	3,550	—
		0.02				
		0.03				
		0.05				
		0.05				
3	6	0.1	SR□003__B	1,330	3,850	3,560
		0.2				
		0.3				
		0.5				
		0.5				

内径 ϕd	外径 ϕD	板厚セット内容 t	板厚セット (各板厚×10枚)			
			品番		価格(円)	
			鉄 F 、ステンレス S 、真鍮 B	鉄 SR F	ステンレス SR S	真鍮 SR B
4	5	0.01	SRS004005A	—	5,650	—
		0.02				
		0.03				
		0.05				
		0.05				
4	6	0.01	SRS004__A	—	3,550	—
		0.02				
		0.03				
		0.05				
		0.05				
4	10	0.1	SR□004__B	1,330	3,850	3,560
		0.2				
		0.3				
		0.5				
		0.5				
5	7	0.01	SRS005__A	—	3,960	—
		0.02				
		0.03				
		0.05				
		0.05				
5	12	0.1	SR□005__B	1,330	3,850	3,560
		0.2				
		0.3				
		0.5				
		0.5				

内径φd	外径φD	板厚セット 内容t	板厚セット (各板厚×10枚)			
			品番		価格(円)	
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径		鉄 SR[F]	ステンレス SR[S]
6	8 9 10 12 13	0.01	SRS006___A	—	3,960	—
		0.02				
		0.03				
		0.05				
		0.1				
7	10	0.1	SR□006___B	1,330	3,850	3,560
		0.2				
		0.3				
		0.5				
		0.01				
0.02						
0.03						
0.05						
0.1	SR□007010B	1,330	3,850	3,560		
0.2						
0.3						
0.5						
8					10 12 13 14	0.01
	0.02					
	0.03					
	0.05					
	0.1	SR□008___B	1,330	3,850		3,560
0.2						
0.3						
0.5						
9	13				0.01	
		0.02				
		0.03				
		0.05				
		0.1	SR□009013B	1,330	3,850	3,560
0.2						
0.3						
0.5						
10	12 13 14 15	0.01				
		0.02				
		0.03				
		0.05				
		0.1	SR□010___B	1,330	3,850	3,560
0.2						
0.3						
0.5						
12	14 15 16 17	0.01				
		0.02				
		0.03				
		0.05				
		0.1	SR□012___B	1,330	3,850	3,560
0.2						
0.3						
0.5						
13	19	0.01				
		0.02				
		0.03				
		0.05				
		0.1	SR□013019B	1,440	3,850	4,090
0.2						
0.3						
0.5						
15	17 18 20	0.01				
		0.02				
		0.03				
		0.05				
		0.1	SR□015___B	1,440	3,850	4,090
0.2						
0.3						
0.5						

内径φd	外径φD	板厚セット 内容t	板厚セット (各板厚×10枚)			
			品番		価格(円)	
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径		鉄 SR[F]	ステンレス SR[S]
16	19 20 21	0.01	SRS016___A	—	6,500	—
		0.02				
		0.03				
		0.05				
		0.1				
0.2						
0.3						
0.5						
17	19 20 21	0.01	SRS017___A	—	6,500	—
		0.02				
		0.03				
		0.05				
		0.1				
0.2						
0.3						
0.5						
18	24	0.01	SRS018024A	—	7,920	—
		0.02				
		0.03				
		0.05				
		0.1				
0.2						
0.3						
0.5						
20	22 24 26	0.01	SRS020___A	—	7,920	—
		0.02				
		0.03				
		0.05				
		0.1				
0.2						
0.3						
0.5						
21	28	0.01	SRS021028A	—	10,890	—
		0.02				
		0.03				
		0.05				
		0.1				
0.2						
0.3						
0.5						
22	26 28 30	0.01	SRS022___A	—	10,890	—
		0.02				
		0.03				
		0.05				
		0.1				
0.2						
0.3						
0.5						
23	30	0.01	SRS023030A	—	12,580	—
		0.02				
		0.03				
		0.05				
		0.1				
0.2						
0.3						
0.5						
25	28 30 32	0.01	SRS025___A	—	12,580	—
		0.02				
		0.03				
		0.05				
		0.1				
0.2						
0.3						
0.5						

内径φ d	外径φ D	板厚 セット 内容 t	板厚セット (各板厚×10枚)			
			品番		価格(円)	
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径		鉄 SR[F]	ステンレス SR[S]
28	32 35 40 42 45	0.01 0.02 0.03 0.05	SRS028___A	—	17,050	—
		0.1 0.2 0.3 0.5	SR□028___B	2,030	6,520	6,610
29	37	0.01 0.02 0.03 0.05	SRS029037A	—	17,050	—
		0.1 0.2 0.3 0.5	SR□029037B	2,360	7,480	7,520
30	32 35 40 42 45 50	0.01 0.02 0.03 0.05	SRS030___A	—	17,050	追加
		0.1 0.2 0.3 0.5	SR□030___B	2,360	7,480	7,520
32	37 40	0.01 0.02 0.03 0.05	SRS032___A	—	20,230	追加
		0.1 0.2 0.3 0.5	SR□032___B	2,360	7,480	7,520
35	42 45 50 55	0.01 0.02 0.03 0.05	SRS035___A	—	20,230	—
		0.1 0.2 0.3 0.5	SR□035___B	2,360	7,480	7,520
40	45 47 50 55 60	0.01 0.02 0.03 0.05	SRS040___A	—	26,800	—
		0.1 0.2 0.3 0.5	SR□040___B	2,460	7,480	7,520
42	52	0.01 0.02 0.03 0.05	SRS042052A	—	33,820	—
		0.1 0.2 0.3 0.5	SR□042052B	2,750	8,100	8,110
45	50 55 60	0.01 0.02 0.03 0.05	SRS045___A	—	33,820	—
		0.1 0.2 0.3 0.5	SR□045___B	2,750	8,100	8,110

内径φ d	外径φ D	板厚 セット 内容 t	板厚セット (各板厚×10枚)			
			品番		価格(円)	
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ___:外径		鉄 SR[F]	ステンレス SR[S]
47	55	0.01 0.02 0.03 0.05	SRS047055A	—	33,820	—
		0.1 0.2 0.3 0.5	SR□047055B	2,750	8,100	8,110
50	55 60 62 65 70	0.01 0.02 0.03 0.05	SRS050___A	—	47,590	追加
		0.1 0.2 0.3 0.5	SR□050___B	3,380	12,160	12,260
52	62	0.01 0.02 0.03 0.05	SR□052062A	—	56,450	追加
		0.1 0.2 0.3 0.5	SR□052062B	3,540	12,560	12,790
55	65 68	0.01 0.02 0.03 0.05	SR□055___A	—	59,150	追加
		0.1 0.2 0.3 0.5	SR□055___B	4,010	13,410	13,640
60	70 72 75	0.01 0.02 0.03 0.05	SR□060___A	—	71,300	追加
		0.1 0.2 0.3 0.5	SR□060___B	4,010	13,410	13,640
62	68 72	0.01 0.02 0.03 0.05	SR□062___A	—	71,300	追加
		0.1 0.2 0.3 0.5	SR□062___B	4,010	13,410	13,640
65	80 85	0.01 0.02 0.03 0.05	SR□065___A	—	92,000	追加
		0.1 0.2 0.3 0.5	SR□065___B	6,480	14,130	14,490
70	80	0.01 0.02 0.03 0.05	SR□070080A	—	92,000	追加
		0.1 0.2 0.3 0.5	SR□070080B	6,480	14,130	14,490

内径 φd	外径 φD	板厚 セット 内容 t	板厚セット (各板厚×10枚)				
			品番	価格(円)			
			□:材質記号 鉄[F]、ステンレス[S]、真鍮[B] ---:外径	鉄 SR [F]	ステンレス SR [S]	真鍮 SR [B]	
80	90	0.01 0.02 0.03 0.05	SR□080090A	—	92,970	—	追加
		0.1 0.2 0.3 0.5	SR□080090B	7,200	14,950	15,300	追加
	100	0.01 0.02 0.03 0.05	SR□090100A	—	140,580	—	追加
		0.1 0.2 0.3 0.5	SR□090100B	7,560	15,710	16,110	追加