

ワッシャー

当日出荷
受付16時


RoHS2
適合品

CAD
2D


CAD
3D

ボルト締め付け時やスペーサーなどにご使用いただけます。

IQコード 021301



単位 : mm



材質記号	材質 / 表面処理
C	鉄 (S45C) / 黒染め
M	鉄 (S45C) / 無電解ニッケルメッキ
S	ステンレス (SUS304)

シム・スペーサー

ワッシャー

エンドプレート

外径 φD	内径 φd	板厚 t	1枚単位			
			品番	価格(円)		
			□ : 材質記号	黒染め C	無電解 ニッケルメッキ M	ステンレス S
8	3	2	W□0803-2	90	120	140
		3	W□0803-3	90	120	140
	4	2	W□0804-2	90	120	140
		3	W□0804-3	90	120	140
	5	2	W□0805-2	90	120	140
		3	W□0805-3	90	120	140
10	4	2	W□1004-2	120	140	160
		3	W□1004-3	120	140	160
		5	W□1004-5	120	140	160
	5	2	W□1005-2	120	140	160
		3	W□1005-3	120	140	160
		5	W□1005-5	120	140	160
	6	2	W□1006-2	120	140	160
		3	W□1006-3	120	140	160
		5	W□1006-5	120	140	160
12	4	2	W□1204-2	120	140	160
		3	W□1204-3	120	140	160
		5	W□1204-5	120	140	160
	5	2	W□1205-2	120	140	160
		3	W□1205-3	120	140	160
		5	W□1205-5	120	140	160
	6	2	W□1206-2	120	140	160
		3	W□1206-3	120	140	160
		5	W□1206-5	120	140	160
8	2	W□1208-2	120	140	160	
	3	W□1208-3	120	140	160	
	5	W□1208-5	120	140	160	
10	2	W□1210-2	120	140	160	
	3	W□1210-3	120	140	160	
	5	W□1210-5	120	140	160	

外径 φD	内径 φd	板厚 t	1枚単位			
			品番	価格(円)		
			□ : 材質記号	黒染め C	無電解 ニッケルメッキ M	ステンレス S
14	4	2	W□1404-2	140	170	180
		3	W□1404-3	140	170	180
		5	W□1404-5	140	170	180
	5	2	W□1405-2	140	170	180
		3	W□1405-3	140	170	180
		5	W□1405-5	140	170	180
	6	2	W□1406-2	140	170	180
		3	W□1406-3	140	170	180
		5	W□1406-5	140	170	180
8	2	W□1408-2	140	170	180	
	3	W□1408-3	140	170	180	
	5	W□1408-5	140	170	180	
10	2	W□1410-2	140	170	180	
	3	W□1410-3	140	170	180	
	5	W□1410-5	140	170	180	
15	4	2	W□1504-2	160	180	190
		3	W□1504-3	160	180	190
		5	W□1504-5	160	180	190
	5	2	W□1505-2	160	180	190
		3	W□1505-3	160	180	190
		5	W□1505-5	160	180	190
	6	2	W□1506-2	160	180	190
		3	W□1506-3	160	180	190
		5	W□1506-5	160	180	190
8	2	W□1508-2	160	180	190	
	3	W□1508-3	160	180	190	
	5	W□1508-5	160	180	190	
10	2	W□1510-2	160	180	190	
	3	W□1510-3	160	180	190	
	5	W□1510-5	160	180	190	

外径 φD	内径 φd	板厚 t	1枚単位			
			品番 □ : 材質記号	価格(円)		
				黒染め [C]	無電解 ニッケルメッキ [M]	ステンレス [S]
16	4	2	W□1604-2	160	180	190
		3	W□1604-3	160	180	190
		5	W□1604-5	160	180	190
	5	2	W□1605-2	160	180	190
		3	W□1605-3	160	180	190
		5	W□1605-5	160	180	190
	6	2	W□1606-2	160	180	190
		3	W□1606-3	160	180	190
		5	W□1606-5	160	180	190
	8	2	W□1608-2	160	180	190
		3	W□1608-3	160	180	190
		5	W□1608-5	160	180	190
	10	2	W□1610-2	160	180	190
		3	W□1610-3	160	180	190
		5	W□1610-5	160	180	190
	12	2	W□1612-2	160	180	190
		3	W□1612-3	160	180	190
		5	W□1612-5	160	180	190
20	5	2	W□2005-2	180	190	220
		3	W□2005-3	180	190	220
		5	W□2005-5	180	190	220
	6	2	W□2006-2	180	190	220
		3	W□2006-3	180	190	220
		5	W□2006-5	180	190	220
	8	2	W□2008-2	180	190	220
		3	W□2008-3	180	190	220
		5	W□2008-5	180	190	220
	10	2	W□2010-2	180	190	220
		3	W□2010-3	180	190	220
		5	W□2010-5	180	190	220
	12	2	W□2012-2	180	190	220
		3	W□2012-3	180	190	220
		5	W□2012-5	180	190	220
	16	2	W□2016-2	180	190	220
		3	W□2016-3	180	190	220
		5	W□2016-5	180	190	220
25	6	2	W□2506-2	180	200	230
		3	W□2506-3	180	200	230
		5	W□2506-5	180	200	230
	8	2	W□2508-2	180	200	230
		3	W□2508-3	180	200	230
		5	W□2508-5	180	200	230
	10	2	W□2510-2	180	200	230
		3	W□2510-3	180	200	230
		5	W□2510-5	180	200	230
12	2	W□2512-2	180	200	230	
	3	W□2512-3	180	200	230	
	5	W□2512-5	180	200	230	
16	2	W□2516-2	180	200	230	
	3	W□2516-3	180	200	230	
	5	W□2516-5	180	200	230	
20	2	W□2520-2	180	200	230	
	3	W□2520-3	180	200	230	
	5	W□2520-5	180	200	230	

外径 φD	内径 φd	板厚 t	1枚単位			
			品番 □ : 材質記号	価格(円)		
				黒染め [C]	無電解 ニッケルメッキ [M]	ステンレス [S]
30	8	2	W□3008-2	180	240	270
		3	W□3008-3	180	240	270
		5	W□3008-5	180	240	270
	10	2	W□3010-2	180	240	270
		3	W□3010-3	180	240	270
		5	W□3010-5	180	240	270
	12	2	W□3012-2	180	240	270
		3	W□3012-3	180	240	270
		5	W□3012-5	180	240	270
	16	2	W□3016-2	180	240	270
		3	W□3016-3	180	240	270
		5	W□3016-5	180	240	270
	20	2	W□3020-2	180	240	270
		3	W□3020-3	180	240	270
		5	W□3020-5	180	240	270
35	10	3	W□3510-3	180	280	300
		5	W□3510-5	180	280	300
		12	3	W□3512-3	180	280
	16	5	W□3512-5	180	280	300
		3	W□3516-3	180	280	300
		5	W□3516-5	180	280	300
	20	3	W□3520-3	180	280	300
		5	W□3520-5	180	280	300
		10	3	W□4010-3	200	350
40	12	5	W□4010-5	200	350	380
		3	W□4012-3	200	350	380
	16	5	W□4012-5	200	350	380
		3	W□4016-3	200	350	380
	20	5	W□4016-5	200	350	380
		3	W□4020-3	200	350	380
50	10	5	W□4020-5	200	350	380
		3	W□5010-3	270	400	450
	12	5	W□5010-5	270	400	450
		3	W□5012-3	270	400	450
	16	5	W□5012-5	270	400	450
		3	W□5016-3	270	400	450
20	5	W□5016-5	270	400	450	
	3	W□5020-3	270	400	450	
		5	W□5020-5	270	400	450

ワッシャー
エンドプレート

シム・スペーサー

ワッシャー

エンドプレート